

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	39	(phase near frequency near detector) same (adjust\$4 near clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 16:40
S2	76	(phase near frequency near detector) same (adjust\$4 near2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 16:40
S3	59	(phase near frequency near detector) same (adjust\$4 near2 clock) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 16:41
S4	0	(phase near frequency near detector) same (adjust\$4 near2 clock) and wobble and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 16:41
S5	8	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) same (adjust\$4 near2 clock) and wobble and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 17:42
S6	4	"10039657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 17:40
S7	274	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) same ((logic or "or") near gate) same (flip near flop) same (control\$3 or decisi\$3) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 09:58

EAST Search History

S8	0	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) same ((logic or "or") near gate) same (flip near flop) same (control\$3 or decisi\$3) and wobble and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 17:49
S9	0	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) with (adjust\$4 near2 clock)) same ((logic or "or") near gate) same (flip near flop) same (control\$3 or decisi\$3) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 17:50
S10	22	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) with (adjust\$4 near2 clock)) and ((logic or "or") near gate) same (flip near flop) same (control\$3 or decisi\$3) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 18:11
S11	7	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and (protect\$4 near signal) and ((logic or "or") near gate) same (flip near flop) same (control\$3 or decisi\$3) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 18:19
S12	7302	375/326.ccls. or 375/362.ccls. or 375/371.ccls. or 375/373.ccls. or 375/375-376.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 18:24
S13	5545	375/371.ccls. or 375/373.ccls. or 375/375-376.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 18:25

EAST Search History

S14	8	S1 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 18:25
S15	7	S1 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/30 18:25
S16	504	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) same (("or" near gate)) same (flip near flop) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 11:20
S17	5	10/346435	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 10:12
S18	25	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) same ((two gate\$2)) same (flip near flop) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 10:28
S19	33	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and ((gate) with protect\$4) same (flip near flop) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 10:34
S20	5	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and ((protect\$3 near signal) same (flip near flop) same gate) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 10:46

EAST Search History

S21	0	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and ((woobl\$3 near signal) same (flip near flop) same gate) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 10:46
S22	6	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and ((wobbl\$3 near signal) same (flip near flop) same gate) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 10:51
S23	16	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and ((wobbl\$3) same (flip near flop) same gate) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 11:01
S24	0	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and ((target clock) same ((flip near flop) or (flip-flop)) same gate) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 11:02
S25	19	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and ((target clock) and ((flip near flop) or (flip-flop)) same gate) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 11:02
S26	20	((phase near frequency near detector) or (phase near detect\$4) or pd or pfd) and ((gate) same ((flip near flop) or (flip-flop)) same ((wobbl\$3 or target) near (clock or signal))) and (@pd<"20030410" or @ad<"20030410" or @prad<"20030410" or @rlad<"20030410"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 11:30